

KNAPHEIDE

SINCE 1848



GENERAL MOTORS
KUVcc BODIES

KNAPHEIDE KUVcc BODIES



KNAPHEIDE UTILITY VAN

Working out of a Knapheide KUVcc keeps you organized and productive. Large perimeter bins are easy to access and keep your parts and tools separated into easy-to-manage spaces.

A spacious cargo storage area with corrugated steel floor for transporting drywall, larger tools, water heater, and oversized items.

KUVcc BODIES

The style and function of a KUV, designed for a cab chassis: the KUVcc is built to get the job done.

Providing both enclosed cargo and internal compartment storage, the KUVcc gives you the most efficient and secure storage possible.

Get the use of a truck and function of a KUV all-in-one with the KUVcc.

POPULAR VOCATIONS




CONSTRUCTION



PLUMBING



ELECTRICAL



HVACR

A. DOUBLE PANELED DOORS
made of galvanized steel (20-gauge outer panel, 20-gauge inner panel) are reinforced with internal braces for durability

B. TWO CONDUIT CHUTES
to transport copper pipes, PVC, and conduit

C. AUTOMOTIVE-QUALITY, ROTARY-STYLE LATCHES
make opening and closing easy


D. ELECTRODEPOSITION PRIME-PAINT SYSTEM
provides superior corrosion resistance

E. FLAT PANEL SPACE
provides rolling billboard to promote business

F. INTEGRATED LED S/T/T AND B/U, LED STROBE OPTION*
with (8) selectable patterns and built-in reflectivity for additional safety**

*Additional wire harness required for strobe lights
**Covered under 3-year limited warranty

G. DOUBLE PANEL REAR CARGO DOORS
lock and seal into the body frame. These 20-gauge galvanized steel doors have nitrogen gas struts and slam latches.



Note: Body may be shown with optional features.



CARGO AREA AND CONDUIT CHUTE LENGTH

- 8' in 96" bodies
- 9' in 108" bodies
- 11' in 132" bodies
- 13' in 157" bodies
- 14' in 169" bodies

FEATURES NOT SHOWN

COMPARTMENTS CAN BE LOCKED INDEPENDENTLY
for maximum security

TWO INTERIOR LED DOME LIGHTS
in cargo area with light switch inside the cargo area

GRAB HANDLE
(rear right)

COMPARTMENT FEATURES




DOUBLE-SPRING OVER-CENTER RETAINER
on vertical compartment doors eliminate involuntary swing



NEOPRENE DOOR SEALS
protect compartments from the weather



MASTER LOCKING SYSTEM
for piece of mind — locks down all of the side compartments in one move



CONTINUOUS STAINLESS STEEL HINGES
are pry-proof and corrosion-resistant

STANDARD SHELVING



STREET AND CURB SIDE FRONT VERTICAL COMPARTMENTS
Two adjustable divider shelves and dividers, with a 250-lb. capacity



STREET AND CURB SIDE FULL HEIGHT REAR VERTICAL COMPARTMENTS
One adjustable divider shelf and dividers, with a 250-lb. capacity



CURB SIDE HORIZONTAL COMPARTMENT
One adjustable divider shelf and dividers, with a 250-lb. capacity

REQUEST A QUOTE



Visit knapheide.com/quote and fill out the form to receive a quote and additional product information.

POPULAR OPTIONS



POWER LOCKS
Not available on upper side doors



CODEABLE PADLOCK



UPPER SIDE GLASS



REAR VISION CAMERA



ALUMINUM DRAWERS



PULL OUT TRAY



REAR DOOR WINDOWS



CLASS V RECEIVER HITCH



MECHANICS VISE BRACKET
Vise sold separately



POWER LIFTGATE
Not available on SRW models



LED COMPARTMENT LIGHTING



3 BOW LADDER RACK



CORNER MOUNTED CARGO CRANE




SIDE ACCESS DOOR



AERODYNAMIC WIND DEFLECTOR



SIDE MOUNT LADDER RACK



DROP-DOWN LADDER RACK

MODEL OPTIONS

56" CA SRW

MODEL	BODY LENGTH	BODY HEIGHT	BODY WIDTH	COMPARTMENT DEPTH	CLEAR DOOR WIDTH	CLEAR DOOR HEIGHT	INTERIOR CLEAR HEIGHT	BODY WEIGHT
KC96U1478	97.25"	62"	78"	14.5"	44.5"	38.1"	45.1"	1,375 lb.
KC96L1478	97.25"	68"	78"	14.5"	44.5"	41.1"	51.1"	1,506 lb.
KC96M1478	97.25"	78"	78"	14.5"	44.5"	50.5"	61.1"	1,569 lb.

APPLICABLE CHASSIS	CAB	WHEELBASE	GVWR
C/K20903HD	Regular	141.5"	9,900/11,100 lb.
C/K30903	Regular	141.5"	10,750/11,800 lb.
C/K25053HD	Double	162.5"	9,900/11,450 lb.
C/K30953	Double	162.5"	11,100/12,150 lb.
C/K20943HD	Crew	172"	9,900/11,550 lb.
C/K30943	Crew	172"	11,150/12,250 lb.

Note: Maximum body height KC96L1478 on chassis 10,000 lb. GVWR or less.

56" CA DRW

MODEL	BODY LENGTH	BODY HEIGHT	BODY WIDTH	COMPARTMENT DEPTH	CLEAR DOOR WIDTH	CLEAR DOOR HEIGHT	INTERIOR CLEAR HEIGHT	BODY WEIGHT
KC96U2094	97.25"	62"	94"	20"	49.5"	38.1"	45.1"	1,607 lb.
KC96L2094	97.25"	68"	94"	20"	49.5"	41.1"	51.1"	1,765 lb.
KC96M2094	97.25"	78"	94"	20"	49.5"	50.5"	61.1"	1,838 lb.
KC96H2094	97.25"	90"	94"	20"	49.5"	63.1"	73.1"	1,958 lb.

APPLICABLE CHASSIS	CAB	WHEELBASE	GVWR
C/K30903	Regular	141.5"	14,000 lb.
C/K30953	Double	162.5"	14,000 lb.
C/K30943	Crew	172"	14,000 lb.

MODEL OPTIONS

60" CA DRW (SILVERADO 3500HD)

MODEL	BODY LENGTH	BODY HEIGHT	BODY WIDTH	COMPARTMENT DEPTH	CLEAR DOOR WIDTH	CLEAR DOOR HEIGHT	INTERIOR CLEAR HEIGHT	BODY WEIGHT
KC108L2089	107.25"	68"	89"	20"	44.5"	41.1"	51.1"	1,838 lb.
KC108M2089	107.25"	78"	89"	20"	44.5"	50.5"	61.1"	1,921 lb.
KC108H2089	107.25"	90"	89"	20"	44.5"	63.1"	73.1"	2,037 lb.
APPLICABLE CHASSIS		CAB		WHEELBASE		GVWR		
C/K31003		Regular		146.3"		14,000 lb.		
C/K31043		Crew		176.8"		14,000 lb.		

60" CA DRW (SILVERADO 4500HD - 6500HD)

MODEL	BODY LENGTH	BODY HEIGHT	BODY WIDTH	COMPARTMENT DEPTH	CLEAR DOOR WIDTH	CLEAR DOOR HEIGHT	INTERIOR CLEAR HEIGHT	BODY WEIGHT
KC108L2094	107.25"	68"	94"	20"	49.5"	41.1"	51.1"	1,904 lb.
KC108M2094	107.25"	78"	94"	20"	49.5"	50.5"	61.1"	1,983 lb.
KC108H2094	107.25"	90"	94"	20"	49.5"	63.1"	73.1"	2,102 lb.
APPLICABLE CHASSIS		CAB		WHEELBASE		GVWR		
C/K56403		Regular		141"		15,000/23,500 lb.		
C/K56043		Crew		175"		15,000/23,500 lb.		

Note: GM Medium Duty Compatible (not applicable with air bag rear suspension and rear fuel tank combination).

84" CA DRW (SILVERADO 3500HD)

MODEL	BODY LENGTH	BODY HEIGHT	BODY WIDTH	COMPARTMENT DEPTH	CLEAR DOOR WIDTH	CLEAR DOOR HEIGHT	INTERIOR CLEAR HEIGHT	BODY WEIGHT
KC132L2089	133.25"	68"	89"	20"	44.5"	41.1"	51.1"	2,225 lb.
KC132M2089	133.25"	78"	89"	20"	44.5"	50.5"	61.1"	2,288 lb.
KC132H2089	133.25"	90"	89"	20"	44.5"	63.1"	73.1"	2,436 lb.
APPLICABLE CHASSIS		CAB		WHEELBASE		GVWR		
C/K31403		Regular		170.8"		14,000 lb.		

84" CA DRW (SILVERADO 4500HD - 6500HD)

MODEL	BODY LENGTH	BODY HEIGHT	BODY WIDTH	COMPARTMENT DEPTH	CLEAR DOOR WIDTH	CLEAR DOOR HEIGHT	INTERIOR CLEAR HEIGHT	BODY WEIGHT
KC132L2094	133.25"	68"	94"	20"	49.5"	41.1"	51.1"	2,279 lb.
KC132M2094	133.25"	78"	94"	20"	49.5"	50.5"	61.1"	2,357 lb.
KC132H2094	133.25"	90"	94"	20"	49.5"	63.1"	73.1"	2,517 lb.
APPLICABLE CHASSIS		CAB		WHEELBASE		GVWR		
C/K46403		Regular		165"		15,000/23,500 lb.		
C/K56043		Crew		199"		15,000/23,500 lb.		

Note: GM Medium Duty Compatible (not applicable with air bag rear suspension and rear fuel tank combination).

108" CA DRW (SILVERADO 4500HD - 6500HD)

MODEL	BODY LENGTH	BODY HEIGHT	BODY WIDTH	COMPARTMENT DEPTH	CLEAR DOOR WIDTH	CLEAR DOOR HEIGHT	INTERIOR CLEAR HEIGHT	BODY WEIGHT
KC157H2094	157.25"	90"	94"	20"	49.5"	63.1"	73.1"	2,962 lb.
APPLICABLE CHASSIS		CAB		WHEELBASE		GVWR		
C/K56403		Regular		189"		15,000/23,500 lb.		

Note: GM Medium Duty Compatible (not applicable with air bag rear suspension and rear fuel tank combination).

120" CA DRW (SILVERADO 4500HD - 6500HD)

MODEL	BODY LENGTH	BODY HEIGHT	BODY WIDTH	COMPARTMENT DEPTH	CLEAR DOOR WIDTH	CLEAR DOOR HEIGHT	INTERIOR CLEAR HEIGHT	BODY WEIGHT
KC169H2094	169.25"	90"	94"	20"	49.5"	63.1"	73.1"	3,213 lb.
APPLICABLE CHASSIS		CAB		WHEELBASE		GVWR		
C/K56403		Regular		201"		15,000/23,500 lb.		
C/K56043		Crew		235"		15,000/23,500 lb.		

Note: GM Medium Duty Compatible (not applicable with air bag rear suspension and rear fuel tank combination).

86.5" CA (LOW CAB FORWARD)

MODEL	BODY LENGTH	BODY HEIGHT	BODY WIDTH	COMPARTMENT DEPTH	CLEAR DOOR WIDTH	CLEAR DOOR HEIGHT	INTERIOR CLEAR HEIGHT	BODY WEIGHT
KC127M2089	127.25"	78"	89"	20"	44.5"	54.1"	64.1"	2,227 lb.
KC127H2089	127.25"	90"	89"	20"	44.5"	64.8"	76.1"	2,364 lb.
APPLICABLE CHASSIS		CAB		WHEELBASE		GVWR		
CP11003		Regular		109"		12,000 lb.		
CP31001		Regular		109"		14,500 lb.		
CP13043		Crew		150"		12,000 lb.		
CP33043		Crew		150"		14,500 lb.		

Note: Gas chassis with rear tank only. Diesel chassis require quoted body.

110" CA (LOW CAB FORWARD)

MODEL	BODY LENGTH	BODY HEIGHT	BODY WIDTH	COMPARTMENT DEPTH	CLEAR DOOR WIDTH	CLEAR DOOR HEIGHT	INTERIOR CLEAR HEIGHT	BODY WEIGHT
KC151M2089	151.25"	78"	89"	20"	44.5"	54.1"	64.1"	2,608 lb.
KC151H2089	151.25"	90"	89"	20"	44.5"	64.8"	76.1"	2,745 lb.
APPLICABLE CHASSIS		CAB		WHEELBASE		GVWR		
CP12003		Regular		132.5"		12,000 lb.		
CP32003		Regular		132.5"		14,500 lb.		
CP14043		Crew		176"		12,000 lb.		
CP34043		Crew		176"		14,500 lb.		

Note: Gas chassis with rear tank only. Diesel chassis require quoted body.

COMMITMENT TO CORROSION RESISTANCE

Corrosion won't be a concern when you buy quality Knapheide products. To give you the best corrosion protection, we utilize a state-of-the-art, custom-designed, 12-step, SST cathodic electrodeposition finishing system, called "E-Coat."

It bonds prime paint to steel by an electroplating process to give you a superior coat of primer, resulting in better corrosion protection compared to spraying methods.

This system allows us to create products with the highest level of corrosion resistance available.



FOLLOW US
LIKE US
TAG US



SIX YEAR, LIMITED TIME WARRANTY



**NO RUST
THROUGH**



**DOOR HINGES
WILL NOT FAIL OR
COME OFF BODY**



**LATCHES AND LOCK
CYLINDERS WILL NOT
FAIL TO OPERATE**



**SHELVES WILL NOT
BEND UNDER MAX.
LOAD OF 250 LBS.**

TO LEARN MORE VISIT
www.knapheide.com/warranty



NEVER SETTLE

If you are going to be a leader, it takes more than building a high-quality product. It means never being totally satisfied with that product, no matter how high quality it may be. It requires constant vigilance and a willingness to take a chance on something new. And it means exceeding expectations every time. As the industry changes, one thing never will—our commitment to making customers like you as productive and efficient as possible. We know you don't settle, and we don't either. That's why we want you never to settle for anything less than Knapheide on the back of your truck.

KNAPHEIDE. NEVER SETTLE.



The Knapheide Manufacturing Company
1848 Westphalia Strasse | Quincy, IL 62305

217-222-7131

www.knapheide.com